

| | _ | ı |
|---|----|---|
| C | ⋾ | |
| ŀ | Ξ | |
| | ⋛ | |
| | 녹 | |
| Ļ | ヹ | |
| _ | ≤ | |
| | なり | |
| | | |

| TERMINAL IP ADDRESS | SPI | PROTOCOL | CRYPTOGRAPHIC ALGORITHM, KEY | MODE | COUNTERPART IP EXISTENCE ADDRESS | EXISTENCE PERIOD |
|------------------------|-----|----------|---------------------------------|------|----------------------------------|---------------------|
| | | | | | | |

FILTER INFORMATION

| S S S | ව් | | · · · · | | |
|--|---------------------|-------------|---------|-------------|---|
| PROCESSIN INSTRUCTION | CRYPT PROCESSING | BYPASS | BYPASS | DISCARD | |
| SENDING DEST PROCESSING PORT NUMBER INSTRUCTION | any | N/A | 137 | N/A | |
| SENDING SOURCE PORT NUMBER | any | N/A | 137 | 135 | _ |
| PROTOCOL | tcp | IPSec | dpn | icmp | _ |
| SENDING SOURCE SENDING DESTINATION PROTOCOL SENDING SOURCE IP ADDRESS IP ADDRESS PORT NUMBER | 10. 0. 0. */24 | 10.0.1.*/24 | 2001::2 | 2001::2/128 | |
| SENDING SOURCE IP ADDRESS | 10. 0. 0. 1/32 | 10.0.0.2/32 | 2001::1 | 2001::1/128 | _ |
| | | -1G. 2B | | | |

PACKET

DATA IP ADD (SRC) | IP ADD (DST) | SPI | ICV etc. | PROTOCOL | PORT (SRC) | PORT (DST)

ESP HEADER (OR AH HEADER)

DATA PART DA

HEADER INFORMATION PART HD




FIG. 3





FIG. 4






FIG. 6





FIG. 7



S21: REQUESTS CRYPTOGRAPHIC COMMUNICATION

S22: ACCEPTS CRYPTOGRAPHIC COMMUNICATION (SPECIFIES PROXY SERVER)

S23: REQUESTS SUBSTITUTION OF CRYPTOGRAPHIC COMMUNICATION

S24: ACCEPTS SUBSTITUTION OF CRYPTOGRAPHIC COMMUNICATION

FIG. 8